

WAUS41 KKCI 191731 AAA

WA1Z

BOSS WA 191731 AMD

AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 192100

AIRMET IFR...WV VA NC SC GA FL...UPDT

FROM BKW TO 40NE RDU TO CAE TO 50SW PZD TO GQO TO HMV TO BKW

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 18-21Z.

AIRMET IFR...NH VT MA CT NY LO NJ PA OH LE WV MD DC DE VA AND
CSTL WTRS...UPDT

FROM 30N PLB TO 40S CON TO SBY TO 60S JST TO 30NNW LYH TO 40SSE
LYH TO BKW TO HMV TO HNN TO AIR TO 40SW DXO TO 20ENE DXO TO 20S
YYZ TO 30N PLB

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

AIRMET MTN OBSCN...ME NH VT MA NY PA WV MD VA

FROM 60ENE YSC TO CON TO ALB TO 40S PSK TO HMV TO HNN TO BUF TO
20NNE SYR TO MSS TO 60ENE YSC

MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

OTLK VALID 2100-0300Z

AREA 1...IFR ME NH VT MA RI CT NY LO NJ PA MD DE VA AND CSTL WTRS
BOUNDED BY 40NE YQB-70WNW PQI-60ESE BGR-20ENE ACK-90SSE HTO-90SE
SIE-20S SBY-20E EMI-40W HNK-20WSW SYR-60NE BUF-30W YOW-YSC-40NE
YQB

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 03Z.

AREA 2...MTN OBSCN ME NH VT MA NY PA WV MD VA

BOUNDED BY 50NW PQI-MLT-CON-HNK-CSN-40S PSK-HMV-HNN-JHW-SYR-MSS-
YSC-50NW PQI

MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG THRU 03Z.

....

WAUS41 KKCI 192045

WA1Z

BOSZ WA 192045

AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 200300

AIRMET ICE...NY LO PA OH LE WV MD VA

FROM 70ENE YYZ TO EMI TO 50SSE EKN TO HNN TO CVG TO FWA TO DXO TO
YYZ TO 70ENE YYZ

MOD ICE BLW 080. CONDS CONTG BYD 03Z THRU 09Z.

AIRMET ICE...ME NH VT MA RI CT NY LO NJ PA MD DC DE VA NC SC GA
FL AND CSTL WTRS

FROM 70NW PQI TO 20ENE PQI TO 70SW YSJ TO 200SE ACK TO 160SE SIE
TO 190ESE ECG TO 150SSE ILM TO 100SSW TLH TO RIC TO EMI TO 70ENE
YYZ TO MSS TO YSC TO 70NW PQI

MOD ICE BTN FRZLVL AND FL200. FRZLVL SFC-100. CONDS CONTG BYD 03Z
THRU 09Z.

OTLK VALID 0300-0900Z...ICE NY LO PA OH LE WV MD VA

BOUNDED BY 20NNE PLB-ALB-20SSW EMI-40NW CSN-60SE

EKN-HNN-FWA-DXO-YYZ-30SE YOW-20NNE PLB

MOD ICE BLW 080. CONDS CONTG THRU 09Z.

FRZLVL...RANGING FROM SFC-065 ACRS AREA

MULT FRZLVL BLW 050 BOUNDED BY 70NW PQI-30NE PQI-60SW YSJ-
40SW BGR-50ENE YSC-70NW PQI
SFC ALG 20E HMV-40ENE MPV-30SSE MLT-50WSW YSJ
040 ALG 60S RIC-50ESE SIE-40E BOS-120SSE BGR-110SE BGR

....

WAUS41 KKCI 192045

WA1T

BOST WA 192045

AIRMET TANGO UPDT 3 FOR TURB STG WNDS AND LLWS VALID UNTIL 200300

AIRMET TURB...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS

FROM 50NW PQI TO 30NNE PQI TO 50WSW YSJ TO 180SE ACK TO 30NE ORF
TO HMV TO HNN TO CVG TO FWA TO DXO TO YYZ TO MSS TO YSC TO 50NW
PQI

MOD TURB BTN FL180 AND FL390. CONDS CONTG BYD 03Z THRU 09Z.

AIRMET TURB...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
NC SC GA AND CSTL WTRS

FROM YSC TO 60SW YSJ TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO
150SSE ILM TO 40SSW PZD TO GQO TO HMV TO HNN TO CVG TO FWA TO
20ENE DXO TO YYZ TO MSS TO YSC

MOD TURB BLW 150. CONDS CONTG BYD 03Z THRU 09Z.

AIRMET STG SFC WNDS...NY PA OH LE

FROM BUF TO 20SW ERI TO 30W CLE TO 20SSW DXO TO BUF
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS ENDG 21-00Z.

AIRMET STG SFC WNDS...MA RI NY NJ MD DE VA NC CSTL WTRS

FROM 140ESE ACK TO 190SE ACK TO 160SE SIE TO 190ESE ECG TO 130SE
ILM TO 80ESE CYN TO 60SE HTO TO 140ESE ACK

SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG BYD 03Z
ENDG 03-06Z.

LLWS POTENTIAL...ME NH VT MA RI CT NY NJ AND CSTL WTRS

BOUNDED BY YSC-ENE-HTO-CYN-20NW SAX-YSC

LLWS EXP. CONDS ENDG 21-00Z.

....

WAUS41 KKCI 192045

WA1S

BOSS WA 192045

AIRMET SIERRA UPDT 4 FOR IFR AND MTN OBSCN VALID UNTIL 200300

AIRMET IFR...ME NH VT MA RI CT NY LO NJ PA LE WV MD DC DE VA AND
CSTL WTRS

FROM 70WNW PQI TO 50WSW YSJ TO 200SSE HTO TO 90E ORF TO 20NNE
ORF TO 60S RIC TO 40SE PSK TO JST TO 20NW YYZ TO MSS TO YSC TO
70WNW PQI

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

AIRMET IFR...NY LO PA OH LE WV MD

FROM 20NW YYZ TO JST TO 40ENE EKN TO CVG TO FWA TO 20SW DXO TO
20NW YYZ

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

AIRMET MTN OBSCN...ME NH VT MA NY PA WV MD VA
FROM 50NW PQI TO MLT TO CON TO HNK TO 40S PSK TO HMV TO HNN TO
JHW TO SYR TO MSS TO 20ENE YSC TO 50NW PQI
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

OTLK VALID 0300-0900Z...IFR ME NH VT MA RI CT NY LO NJ PA MD DE
VA AND CRTL WTRS
BOUNDED BY 70NW PQI-40ENE PQI-200SE ACK-150SE SIE-70E ECG-40ESE
CYN-70NW SYR-MSS-YSC-70NW PQI
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 09Z.
....