

WSUS31 KPCI 252355

SIGE

MKCE WST 252355

CONVECTIVE SIGMET 71E

VALID UNTIL 0155Z

FL AND CSTL WTRS

FROM 60SSE CEW-30SW CTY-80WNW PIE-170W PIE-120S CEW-60SSE CEW
AREA EMBD TS MOV FROM 18010KT. TOPS TO FL380.

CONVECTIVE SIGMET 72E

VALID UNTIL 0155Z

FL GA AND FL CSTL WTRS

FROM 20NNW CRG-140ESE PBI-150SE MIA-50NW EYW-40NNW CTY-20NNW CRG
AREA TS MOV FROM 17015KT. TOPS ABV FL450.

OUTLOOK VALID 260155-260555

FROM 50S SAV-150SE CHS-180ENE PBI-100ENE PBI-150SE MIA-80WSW
EYW-100WSW PIE-190WSW PIE-170SE LEV-30SSW CEW-50S SAV
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260055

SIGE

MKCE WST 260055

CONVECTIVE SIGMET 1E

VALID UNTIL 0255Z

FL AND CSTL WTRS

FROM 60SSE CEW-30SW CTY-80WNW PIE-170W PIE-120S CEW-60SSE CEW
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 2E

VALID UNTIL 0255Z

FL GA AND FL CSTL WTRS

FROM 20NNW CRG-140ESE PBI-150SE MIA-50NW EYW-40NNW CTY-20NNW CRG
AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 260255-260655

FROM 50S SAV-150SE CHS-180ENE PBI-100ENE PBI-150SE MIA-80WSW
EYW-100WSW PIE-190WSW PIE-170SE LEV-30SSW CEW-50S SAV
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260155

SIGE

MKCE WST 260155

CONVECTIVE SIGMET 3E

VALID UNTIL 0355Z

FL AND CSTL WTRS

FROM CRG-70E CRG-50E ORL-10WNW SRQ-40NW PIE-CRG
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 4E

VALID UNTIL 0355Z

FL AND CSTL WTRS

FROM 190ENE TRV-130SE MIA-30NW EYW-80WSW SRQ-190ENE TRV
AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 260355-260755
FROM 50S SAV-150SE CHS-180ENE PBI-100ENE PBI-150SE MIA-80WSW
EYW-100WSW PIE-190WSW PIE-170SE LEV-30SSW CEW-50S SAV
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260255
SIGE
MKCE WST 260255
CONVECTIVE SIGMET 5E
VALID UNTIL 0455Z
FL AND CSTL WTRS
FROM CRG-70E CRG-50E ORL-20NW ORL-40SW CRG-CRG
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 6E
VALID UNTIL 0455Z
FL AND CSTL WTRS
FROM 90NE PBI-170E PBI-130SE MIA-80ESE EYW-PBI-90NE PBI
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 7E
VALID UNTIL 0455Z
FL AND CSTL WTRS
FROM SRQ-50ENE EYW-60W EYW-70WSW SRQ-SRQ
AREA EMBD TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 8E
VALID UNTIL 0455Z
FL CSTL WTRS
FROM 60S CEW-70SSW TLH-150W PIE-150S CEW-60S CEW
AREA TS MOV LTL. TOPS TO FL400.

OUTLOOK VALID 260455-260855
FROM 50S SAV-150SE CHS-180ENE PBI-100ENE PBI-150SE MIA-80WSW
EYW-100WSW PIE-190WSW PIE-170SE LEV-30SSW CEW-50S SAV
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260355
SIGE
MKCE WST 260355
CONVECTIVE SIGMET 9E
VALID UNTIL 0555Z
FL AND FL GA CSTL WTRS
FROM 30NNE CRG-70E CRG-50E ORL-20NW ORL-40SW CRG-30NNE CRG
AREA EMBD TS MOV LTL. TOPS TO FL410.

CONVECTIVE SIGMET 10E
VALID UNTIL 0555Z
FL AND CSTL WTRS
FROM 110ENE TRV-170E PBI-130SE MIA-80ESE EYW-PBI-110ENE TRV
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 11E
VALID UNTIL 0555Z
FL AND CSTL WTRS

FROM 20SSE CTY-50ENE EYW-60W EYW-80W PIE-20SSE CTY
AREA EMBD TS MOV LTL. TOPS TO FL370.

CONVECTIVE SIGMET 12E
VALID UNTIL 0555Z
FL CSTL WTRS
FROM 60S CEW-70SSW TLH-150W PIE-150S CEW-60S CEW
AREA TS MOV LTL. TOPS TO FL380.

OUTLOOK VALID 260555-260955
FROM 50S SAV-150SE CHS-180ENE PBI-100ENE PBI-150SE MIA-80WSW
EYW-100WSW PIE-190WSW PIE-170SE LEV-30SSW CEW-50S SAV
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260455
SIGE
MKCE WST 260455
CONVECTIVE SIGMET 13E
VALID UNTIL 0655Z
GA AND FL GA CSTL WTRS
FROM 100SE SAV-200ENE OMN-180ENE TRV-10E OMN-40N CRG-100SE SAV
AREA EMBD TS MOV LTL. TOPS TO FL380.

CONVECTIVE SIGMET 14E
VALID UNTIL 0655Z
FL AND CSTL WTRS
FROM 130ENE TRV-140E PBI-150SE MIA-110SSE MIA-TRV-130ENE TRV
AREA TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 15E
VALID UNTIL 0655Z
FL AND CSTL WTRS
FROM 40NW CTY-50SSE RSW-70W EYW-120W PIE-40NW CTY
AREA EMBD TS MOV LTL. TOPS TO FL390.

CONVECTIVE SIGMET 16E
VALID UNTIL 0655Z
FL AL CSTL WTRS
FROM 50SSE CEW-70SSW TLH-140W PIE-140ESE LEV-70SSW CEW-50SSE CEW
AREA TS MOV LTL. TOPS TO FL420.

OUTLOOK VALID 260655-261055
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260555
SIGE
MKCE WST 260555
CONVECTIVE SIGMET 17E
VALID UNTIL 0755Z
FL GA CSTL WTRS
FROM 20SE SAV-210ENE OMN-190ENE TRV-30SE CRG-20SE SAV
AREA EMBD TS MOV LTL. TOPS TO FL420.

CONVECTIVE SIGMET 18E
VALID UNTIL 0755Z
FL AND CSTL WTRS
FROM 140ENE TRV-140SE MIA-150SE MIA-110SSE MIA-40N TRV-140ENE TRV
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 19E
VALID UNTIL 0755Z
FL AND CSTL WTRS
FROM 10SSW CTY-30NW PIE-100SW SRQ-120W PIE-60WSW CTY-10SSW CTY
AREA EMBD TS MOV LTL. TOPS TO FL410.

CONVECTIVE SIGMET 20E
VALID UNTIL 0755Z
FL AND FL AL CSTL WTRS
FROM 50SSE CEW-70SSW TLH-160WSW PIE-160SE LEV-60SSW CEW-50SSE CEW
AREA TS MOV LTL. TOPS TO FL430.

OUTLOOK VALID 260755-261155
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260655
SIGE
MKCE WST 260655
CONVECTIVE SIGMET 21E
VALID UNTIL 0855Z
FL SC GA CSTL WTRS
FROM 150SSE ILM-200ENE TRV-30NE OMN-50SSE SAV-150SSE ILM
AREA EMBD TS MOV LTL. TOPS TO FL410.

CONVECTIVE SIGMET 22E
VALID UNTIL 0855Z
FL AND CSTL WTRS
FROM 60NE TRV-30ENE TRV-10NNW TRV-40E ORL-60NE TRV
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 23E
VALID UNTIL 0855Z
FL AND CSTL WTRS
FROM 10NNE CTY-30NW PIE-100SW SRQ-130W PIE-60S TLH-10NNE CTY
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 24E
VALID UNTIL 0855Z
FL AL CSTL WTRS
FROM 40SE CEW-80SW TLH-170W PIE-160SE LEV-60SSE SJI-40SE CEW
AREA TS MOV LTL. TOPS TO FL430.

CONVECTIVE SIGMET 25E
VALID UNTIL 0855Z
FL CSTL WTRS
FROM 90SE MIA-160SE MIA-90ESE EYW-70S MIA-90SE MIA
AREA TS MOV LTL. TOPS TO FL400.

OUTLOOK VALID 260855-261255
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 260755
SIGE
MKCE WST 260755
CONVECTIVE SIGMET 26E
VALID UNTIL 0955Z
FL SC GA CSTL WTRS
FROM 150SSE ILM-200ENE TRV-30ENE OMN-40SE SAV-150SSE ILM
AREA EMBD TS MOV LTL. TOPS TO FL420.

CONVECTIVE SIGMET 27E
VALID UNTIL 0955Z
FL CSTL WTRS
FROM 50ENE ORL-80NNE TRV-50NE TRV-30NNE TRV-50ENE ORL
AREA TS MOV LTL. TOPS TO FL350.

CONVECTIVE SIGMET 28E
VALID UNTIL 0955Z
FL AND CSTL WTRS
FROM 30NNE CTY-40SSE CTY-90WSW SRQ-180W PIE-50S TLH-30NNE CTY
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 29E
VALID UNTIL 0955Z
FL AL AND CSTL WTRS
FROM 50ESE CEW-30SSW TLH-200ESE LEV-160SE LEV-50SE SJI-50ESE CEW
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 30E
VALID UNTIL 0955Z
FL AND CSTL WTRS
FROM 90SE MIA-160SE MIA-40SW EYW-10ENE EYW-90SE MIA
AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 260955-261355
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 260855
SIGE
MKCE WST 260855
CONVECTIVE SIGMET 31E
VALID UNTIL 1055Z
FL AND FL SC GA CSTL WTRS
FROM 140SSE ILM-220E OMN-50NE TRV-30ENE ORL-60S CHS-140SSE ILM
AREA EMBD TS MOV LTL. TOPS TO FL420.

CONVECTIVE SIGMET 32E
VALID UNTIL 1055Z
FL AND CSTL WTRS

FROM 110WNW EYW-90SE MIA-160SE MIA-80WSW EYW-110WNW EYW
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 33E
VALID UNTIL 1055Z
FL AND CSTL WTRS
FROM 30WSW TLH-30NE CTY-40SSE CTY-90WSW SRQ-120WSW PIE-30WSW TLH
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 34E
VALID UNTIL 1055Z
FL AL AND CSTL WTRS
FROM 40WSW CEW-30WSW TLH-90SSW TLH-190SE LEV-140SE LEV-40WSW CEW
AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 261055-261455
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KPCI 260955
SIGE
MKCE WST 260955
CONVECTIVE SIGMET 35E
VALID UNTIL 1155Z
NC FL SC GA CSTL WTRS
FROM 110SSE ILM-190SE CHS-120E OMN-50SE OMN-60SE CHS-110SSE ILM
AREA EMBD TS MOV LTL. TOPS TO FL400.

CONVECTIVE SIGMET 36E
VALID UNTIL 1155Z
FL AND CSTL WTRS
FROM 70W RSW-80ESE EYW-80WSW EYW-110SW SRQ-70W RSW
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 37E
VALID UNTIL 1155Z
FL AND CSTL WTRS
FROM 10WSW CTY-20ESE CTY-80WSW SRQ-120W PIE-10WSW CTY
AREA EMBD TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 38E
VALID UNTIL 1155Z
FL GA AL AND FL AL CSTL WTRS
FROM 30NW TLH-50WNW CTY-210ESE LEV-140SE LEV-40WSW CEW-30NW TLH
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 39E
VALID UNTIL 1155Z
FL CSTL WTRS
FROM 80ESE MIA-170SE MIA-110SSE MIA-50S MIA-80ESE MIA
AREA TS MOV LTL. TOPS ABV FL450.

OUTLOOK VALID 261155-261555
FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW
PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS31 KKCI 261055

SIGE

MKCE WST 261055

CONVECTIVE SIGMET 40E

VALID UNTIL 1255Z

NC FL SC GA CSTL WTRS

FROM 110SSE ILM-170ENE PBI-70ESE OMN-100ESE CHS-110SSE ILM

AREA EMBD TS MOV FROM 22020KT. TOPS TO FL400.

CONVECTIVE SIGMET 41E

VALID UNTIL 1255Z

FL AND CSTL WTRS

FROM 50SSW SRQ-80ESE EYW-80WSW EYW-100SW SRQ-50SSW SRQ

AREA TS MOV LTL. TOPS ABV FL450.

REF INTL SIGMET LIMA SERIES.

CONVECTIVE SIGMET 42E

VALID UNTIL 1255Z

FL AND CSTL WTRS

FROM 30SW CTY-40SSE CTY-60WSW SRQ-110W PIE-30SW CTY

AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 43E

VALID UNTIL 1255Z

FL GA AL AND FL AL MS CSTL WTRS

FROM 50NW TLH-20ESE TLH-150WSW PIE-120ESE LEV-70SSE SJI-50NW TLH

AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 44E

VALID UNTIL 1255Z

FL AND CSTL WTRS

FROM 70ESE MIA-170SE MIA-100ESE EYW-40SW MIA-70ESE MIA

AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 45E

VALID UNTIL 1255Z

GA AND FL GA CSTL WTRS

FROM 20N AMG-90SSE CHS-80E CRG-30WSW AMG-20N AMG

AREA TS MOV FROM 22020KT. TOPS TO FL300.

OUTLOOK VALID 261255-261655

FROM 100SSE ILM-180ENE PBI-110ENE PBI-150SE MIA-80WSW EYW-100WSW

PIE-190WSW PIE-170SE LEV-50SW CEW-30E SAV-100SSE ILM

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.