

WSUS32 KKCI 260155

SIGC

MKCC WST 260155

CONVECTIVE SIGMET 7C

VALID UNTIL 0355Z

AL MS LA

FROM 40NW IGB-40SSE IGB-40ENE LSU-50WNW MCB-20NW SQS-40NW IGB
AREA EMBD TS MOV FROM 27010KT. TOPS TO FL350.

CONVECTIVE SIGMET 8C

VALID UNTIL 0355Z

TX NM

FROM 30NE INK-30SE MAF-DLF-90SE MRF-40SW INK-30NE INK
AREA TS MOV LTL. TOPS ABV FL450.

CONVECTIVE SIGMET 9C

VALID UNTIL 0355Z

LA TX AND CSTL WTRS

FROM 50NW LCH-30ESE LCH-100S LCH-CRP-20SSW SAT-50NW LCH
AREA SEV TS MOV FROM 34010KT. TOPS ABV FL450.
HAIL TO 1 IN...WIND GUSTS TO 50KT POSS.

CONVECTIVE SIGMET 10C

VALID UNTIL 0355Z

WI IL MN IA

FROM 10WSW RHI-40SE DLL-30SSW DBQ-40E MCW-20NW EAU-10WSW RHI
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL420.

OUTLOOK VALID 260355-260755

AREA 1...FROM 40E RZC-50SW BNA-LGC-70E LEV-120SSW LCH-80SSE
LRD-DLF-90S MRF-CME-SPS-40E RZC

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SAW-50WNW MKG-30N TTH-AXC-40SW FOD-40ENE
FAR-40WNW DLH-60NW SAW

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260255

SIGC

MKCC WST 260255

CONVECTIVE SIGMET 11C

VALID UNTIL 0455Z

MS LA

FROM 40WNW IGB-MEI-40ENE MCB-40E MLU-20NW SQS-40WNW IGB
AREA EMBD TS MOV LTL. TOPS TO FL300.

CONVECTIVE SIGMET 12C

VALID UNTIL 0455Z

TX

FROM 30S MAF-80NNW DLF-80SSE FST-20E MRF-40SW INK-30S MAF
AREA TS MOV LTL. TOPS TO FL420.

CONVECTIVE SIGMET 13C

VALID UNTIL 0455Z

LA TX AND CSTL WTRS

FROM 60W LCH-40E LCH-40SW LEV-50W CRP-20SSW SAT-60W LCH
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 14C
VALID UNTIL 0455Z
WI IL MN IA

FROM 20NE ODI-20NNE DLL-20ENE BDF-20SW DBQ-30SSW ODI-20NE ODI
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL400.

OUTLOOK VALID 260455-260855
AREA 1...FROM 40E RZC-50SW BNA-LGC-70E LEV-120SSW LCH-80SSE
LRD-DLF-90S MRF-CME-SPS-40E RZC
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SAW-50WNW MKG-30N TTH-AXC-40SW FOD-40ENE
FAR-40WNW DLH-60NW SAW
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 260355
SIGC

MKCC WST 260355
CONVECTIVE SIGMET 15C
VALID UNTIL 0555Z
MS

FROM 40WNW IGB-30WSW IGB-20NNE MHZ-40SW SQS-20N SQS-40WNW IGB
AREA EMBD TS MOV LTL. TOPS TO FL300.

CONVECTIVE SIGMET 16C
VALID UNTIL 0555Z
LA TX AND CSTL WTRS

FROM 10NW LCH-30W LEV-60ESE PSX-60ESE LRD-40ESE DLF-10NW LCH
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 17C
VALID UNTIL 0555Z
WI IL MN IA

FROM 30ENE ODI-20NNE DLL-20ENE BDF-40ENE IOW-30SSW ODI-30ENE ODI
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL360.

OUTLOOK VALID 260555-260955
AREA 1...FROM 40E RZC-50SW BNA-LGC-70E LEV-120SSW LCH-80SSE
LRD-DLF-90S MRF-CME-SPS-40E RZC
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 60NW SAW-50WNW MKG-30N TTH-AXC-40SW FOD-40ENE
FAR-40WNW DLH-60NW SAW
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 260455
SIGC

MKCC WST 260455
CONVECTIVE SIGMET 18C
VALID UNTIL 0655Z

WI IL MN IA
FROM 60E EAU-30ENE DLL-20W JOT-30N IOW-20SE EAU-60E EAU
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL380.

CONVECTIVE SIGMET 19C
VALID UNTIL 0655Z
TX AND CSTL WTRS
FROM 20ENE SAT-70ESE PSX-50SSE CRP-50NE LRD-50WSW SAT-20ENE SAT
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 20C
VALID UNTIL 0655Z
LA TX AND CSTL WTRS
FROM 20S LCH-60W LEV-70WSW LEV-90SE IAH-50ESE IAH-20S LCH
AREA TS MOV FROM 34010KT. TOPS TO FL420.

CONVECTIVE SIGMET 21C
VALID UNTIL 0655Z
TX
FROM 40NE DLF-40E DLF-40SSE DLF-20NW DLF-40NE DLF
AREA TS MOV FROM 34010KT. TOPS TO FL300.

OUTLOOK VALID 260655-261055
AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 40WNW DLH-30E RHI-PMM-30N TTH-40NNW AXC-50NNE
DSM-30ESE RWF-40WNW DLH
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260555
SIGC
MKCC WST 260555
CONVECTIVE SIGMET 22C
VALID UNTIL 0755Z
WI IL IA
FROM 60ESE EAU-20NNW BAE-30WSW JOT-30W DBQ-30NNE ODI-60ESE EAU
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL370.

CONVECTIVE SIGMET 23C
VALID UNTIL 0755Z
TX
FROM 30SSW SAT-40SW PSX-40S CRP-30ENE LRD-60SW SAT-30SSW SAT
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 24C
VALID UNTIL 0755Z
LA TX AND CSTL WTRS
FROM 20S LCH-70SSW LSU-90SE LCH-100SE IAH-60WSW LCH-20S LCH
AREA TS MOV FROM 34010KT. TOPS TO FL330.

CONVECTIVE SIGMET 25C
VALID UNTIL 0755Z
TX

FROM 40NNE DLF-60ESE DLF-30NW LRD-20NW DLF-40NNE DLF
AREA TS MOV FROM 34010KT. TOPS TO FL320.

OUTLOOK VALID 260755-261155

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 40WNW DLH-30E RHI-PMM-30N TTH-40NNW AXC-50NNE
DSM-30ESE RWF-40WNW DLH

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260655

SIGC

MKCC WST 260655

CONVECTIVE SIGMET 26C

VALID UNTIL 0855Z

WI IL IA

FROM 40N DLL-30N BAE-30W JOT-20W DBQ-50NW DLL-40N DLL

AREA EMBD TS MOV FROM 22015KT. TOPS TO FL400.

CONVECTIVE SIGMET 27C

VALID UNTIL 0855Z

TX AND CSTL WTRS

FROM 60SSE SAT-40E CRP-40S CRP-10NW LRD-50N LRD-60SSE SAT

AREA TS MOV FROM 34010KT. TOPS TO FL410.

CONVECTIVE SIGMET 28C

VALID UNTIL 0855Z

LA AND LA TX CSTL WTRS

FROM 20SSW LCH-60ESE LCH-80SSE LCH-90SSW LCH-60SW LCH-20SSW LCH

AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 29C

VALID UNTIL 0855Z

TX

FROM 40N DLF-60N LRD-10NW LRD-40NW DLF-40N DLF

AREA TS MOV FROM 34010KT. TOPS TO FL380.

OUTLOOK VALID 260855-261255

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 40WNW DLH-30E RHI-PMM-30N TTH-40NNW AXC-50NNE
DSM-30ESE RWF-40WNW DLH

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260755

SIGC

MKCC WST 260755

CONVECTIVE SIGMET 30C

VALID UNTIL 0955Z

WI IL IA

FROM 50SE EAU-50N DLL-30NNE BAE-20WNW JOT-20NW DBQ-50SE EAU
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL360.

CONVECTIVE SIGMET 31C

VALID UNTIL 0955Z

TX AND CSTL WTRS

FROM 60WNW CRP-40ENE CRP-60S CRP-70SSE LRD-20SE LRD-60WNW CRP
AREA TS MOV FROM 34010KT. TOPS TO FL410.

CONVECTIVE SIGMET 32C

VALID UNTIL 0955Z

LA AND LA TX CSTL WTRS

FROM 60ESE LCH-80SSE LCH-100SE IAH-70SW LCH-60ESE LCH
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 33C

VALID UNTIL 0955Z

TX

FROM 40N DLF-60ESE DLF-50NW LRD-40NW DLF-40N DLF
AREA TS MOV FROM 34010KT. TOPS TO FL360.

OUTLOOK VALID 260955-261355

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM GRB-PMM-30N TTH-40NNW AXC-IOW-50W ODI-GRB

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260855

SIGC

MKCC WST 260855

CONVECTIVE SIGMET 34C

VALID UNTIL 1055Z

WI IL MN IA LM

FROM 50NNW DLL-20SSE GRB-30ENE BAE-10NW JOT-50ESE MCW-50NNW DLL
AREA EMBD TS MOV FROM 22015KT. TOPS TO FL310.

CONVECTIVE SIGMET 35C

VALID UNTIL 1055Z

TX AND CSTL WTRS

FROM 40ENE CRP-50SSE CRP-80SSE LRD-20S LRD-50W CRP-40ENE CRP
AREA TS MOV FROM 34010KT. TOPS TO FL370.

CONVECTIVE SIGMET 36C

VALID UNTIL 1055Z

LA AND LA TX CSTL WTRS

FROM 50ESE LCH-90SSE LCH-90ESE PSX-60SE IAH-50ESE LCH
AREA TS MOV FROM 34010KT. TOPS ABV FL450.

CONVECTIVE SIGMET 37C

VALID UNTIL 1055Z

TX

FROM 40WNW DLF-20NNE DLF-70SE DLF-50NW LRD-40WNW DLF

AREA TS MOV FROM 34010KT. TOPS TO FL370.

OUTLOOK VALID 261055-261455

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM GRB-PMM-30N TTH-40NNW AXC-IOW-50W ODI-GRB

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 260955

SIGC

MKCC WST 260955

CONVECTIVE SIGMET 38C

VALID UNTIL 1155Z

WI IL MN IA

FROM 50ESE EAU-20S GRB-40SSE JOT-20SE BDF-40SE MCW-50ESE EAU

AREA EMBD TS MOV FROM 22015KT. TOPS TO FL380.

CONVECTIVE SIGMET 39C

VALID UNTIL 1155Z

TX AND CSTL WTRS

FROM 50ESE PSX-80SSE PSX-70WNW BRO-40ESE LRD-50ESE PSX

AREA TS MOV FROM 34010KT. TOPS TO FL330.

CONVECTIVE SIGMET 40C

VALID UNTIL 1155Z

LA TX AND CSTL WTRS

FROM 50E LCH-110SSE LCH-80ESE PSX-60ESE IAH-50E LCH

AREA TS MOV FROM 34010KT. TOPS ABV FL450.

OUTLOOK VALID 261155-261555

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM GRB-PMM-30N TTH-40NNW AXC-IOW-50W ODI-GRB

WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 261055

SIGC

MKCC WST 261055

CONVECTIVE SIGMET 41C

VALID UNTIL 1255Z

IN WI IL MN IA LM

FROM 50ESE EAU-10S GRB-30NW BVT-BDF-20SE MCW-50ESE EAU

AREA EMBD TS MOV FROM 22015KT. TOPS TO FL370.

CONVECTIVE SIGMET 42C

VALID UNTIL 1255Z

TX CSTL WTRS

FROM 50E PSX-60ESE PSX-40ESE CRP-30E CRP-50E PSX

AREA TS MOV FROM 34010KT. TOPS TO FL270.

CONVECTIVE SIGMET 43C
VALID UNTIL 1255Z
LA TX AND CSTL WTRS
FROM 40WSW LSU-100WSW LEV-80ESE PSX-60ESE IAH-40WSW LSU
AREA TS MOV FROM 34010KT. TOPS TO FL440.

OUTLOOK VALID 261255-261655
AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-80SSE LRD-LRD-60WSW
LCH-50SW CEW
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM GRB-PMM-30N TTH-40NNW AXC-IOW-50W ODI-GRB
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 261155
SIGC
MKCC WST 261155
CONVECTIVE SIGMET 44C
VALID UNTIL 1355Z
IN WI IL MN IA LM
FROM 50E EAU-10W GRB-40NNW BVT-50NNE AXC-40E MCW-50E EAU
AREA EMBD TS MOV FROM 19015KT. TOPS TO FL390.

CONVECTIVE SIGMET 45C
VALID UNTIL 1355Z
LA TX AND CSTL WTRS
FROM 30S LSU-70WSW LEV-50SE CRP-30ESE CRP-40SW LCH-30S LSU
AREA TS MOV LTL. TOPS TO FL400.

OUTLOOK VALID 261355-261755
AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-100SE PSX-70E
BRO-40WNW BRO-60SW CRP-30N PSX-50WSW LCH-50SW CEW
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30ENE EAU-GRB-PMM-BVT-40S BDF-IOW-50NNE MCW-30ENE
EAU
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 261255
SIGC
MKCC WST 261255
CONVECTIVE SIGMET 46C
VALID UNTIL 1455Z
IN WI IL MN IA LM
FROM RHI-40E BAE-40NNW BVT-10E BDF-40E MCW-RHI
AREA EMBD TS MOV FROM 19015KT. TOPS TO FL350.

CONVECTIVE SIGMET 47C
VALID UNTIL 1455Z
LA TX AND CSTL WTRS
FROM LCH-HRV-80SW LEV-50SE CRP-30ESE CRP-LCH
AREA TS MOV LTL. TOPS TO FL340.

OUTLOOK VALID 261455-261855

AREA 1...FROM 50SW CEW-140ESE LEV-120SSW LCH-100SE PSX-70E
BRO-40WNW BRO-60SW CRP-30N PSX-50WSW LCH-50SW CEW
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM RHI-TVC-BVT-40S BDF-IOW-50NNE MCW-RHI
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.