

WAUS41 KPCI 030845

WA1Z

BOSZ WA 030845

AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 031500

.

AIRMET ICE...MA RI CT NY LO NJ PA OH LE WV MD DC DE VA AND CSTL WTRS
FROM 50NNW SYR TO 50SSW ACK TO 20SSW JFK TO EMI TO 50W CSN TO PSK
TO 40SW BKW TO HNN TO CVG TO FWA TO 30SE ECK TO 20WNW CLE TO 40E
YYZ TO 50NNW SYR
MOD ICE BTN FRZLVL AND 160. FRZLVL SFC-040. CONDS CONTG BYD 15Z
THRU 21Z.

.

AIRMET ICE...MA RI NY NJ PA WV MD DC DE VA NC SC AND CSTL WTRS
FROM 50SSW ACK TO 180SSE ACK TO 160SE SIE TO 190ESE ECG TO 140SSE
ILM TO 80ESE CHS TO 20ENE CHS TO PSK TO 50W CSN TO EMI TO 20S JFK
TO 50SSW ACK
MOD ICE BTN FRZLVL AND FL240. FRZLVL 050-120. CONDS CONTG BYD 15Z
THRU 21Z.

.

OTLK VALID 1500-2100Z
AREA 1...ICE OH WV VA
BOUNDED BY 40ENE FWA-BKW-40N HNV-HNN-CVG-FWA-40ENE FWA
MOD ICE BLW 120. CONDS DVLPG AFT 18Z. CONDS CONTG THRU 21Z.

.

AREA 2...ICE ME NH VT MA RI CT NY NJ PA WV MD DC DE VA NC AND
CSTL WTRS
BOUNDED BY 20N ENE-160ENE ACK-200SE ACK-160SE SIE-190ESE
ECG-140SSE ILM-60SSW CSN-20N ENE
MOD ICE BTN FRZLVL AND FL220. FRZLVL 030-120. CONDS CONTG THRU
21Z.

.

AREA 3...ICE ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
BOUNDED BY 50WSW YSC-20N ENE-60SSW CSN-40WNW
LYH-BKW-HNN-CVG-FWA-20NNE ERI-30ESE YYZ-50WSW YSC
MOD ICE BTN FRZLVL AND 160. FRZLVL SFC-040. CONDS CONTG THRU 21Z.

.

FRZLVL...RANGING FROM SFC-110 ACRS AREA
MULT FRZLVL BLW 110 BOUNDED BY 50S YOW-70S MSS-50SE ENE-80SW
YSJ-200SE ACK-90SE HTO-30WSW SIE-20WSW CSN-20E EKN-30NNE
EWC-30SSE YYZ-50S YOW
SFC ALG 60WSW YYZ-20W JHW-30W PSB-HAR-80SSE BGR-110SSW YSJ
040 ALG 50WSW BKW-30NW EKN-40S HTO-80SSE ACK-160ESE ACK
080 ALG 20N GSO-30NNE RIC-40E SIE-190SE ACK

....

WAUS41 KPCI 030845

WA1S

BOSS WA 030845

AIRMET SIERRA UPDT 1 FOR IFR AND MTN OBSCN VALID UNTIL 031500

.

AIRMET IFR...NY NJ PA OH WV MD DC DE VA AND CSTL WTRS
FROM 20NE SAX TO 80ESE SIE TO 150SE SIE TO 30ENE ECG TO HNV TO
HNN TO 20W ETX TO 30WSW SAX TO 20NE SAX
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.

AIRMET IFR...VT MA NY LO NJ PA OH LE WV MD
FROM MSS TO 60E MSS TO 60SW MPV TO 20NE SAX TO 20W ETX TO HNN TO
CVG TO FWA TO DXO TO 20NNW CLE TO 30W BUF TO 30E YYZ TO 40NNW
SYR TO MSS
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
AIRMET IFR...ME NH VT NY
FROM 70NW PQI TO 30NNE PQI TO 20NE HUL TO 30NW ENE TO 40NNE ALB
TO 50E MSS TO 50ENE YSC TO 70NW PQI
CIG BLW 010/VIS BLW 3SM BR. CONDS DVLPG 09-12Z. CONDS CONTG BYD
15Z ENDG 15-18Z.

.
AIRMET MTN OBSCN...WV VA NC SC GA
FROM 20WNW CSN TO 30N GSO TO 20ESE CLT TO ATL TO GQO TO HNV TO
HNN TO 20WNW CSN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
AIRMET MTN OBSCN...ME NH VT MA NY PA WV MD VA
FROM 70NW PQI TO MLT TO 20NNE CON TO 20NW SAX TO HAR TO 20WNW
CSN TO HNN TO EWC TO 20WNW JHW TO SYR TO MSS TO 40E YSC TO 70NW
PQI
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
OTLK VALID 1500-2100Z
AREA 1...IFR ME NH VT MA CT NY LO NJ PA OH LE WV AND CSTL WTRS
BOUNDED BY 60SSE YSC-30ENE BOS-30NE SAX-HNN-CVG-FWA-20SSW DXO-
30WNW CLE-30N BUF-60SSE YSC
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

.
AREA 2...IFR MA RI CT NY NJ PA OH WV MD DC DE VA NC AND CSTL WTRS
BOUNDED BY 30WSW BOS-90SSE HTO-140E ECG-80E ECG-30NNE GSO-HMV-
HNN-30WSW BOS
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

....

WAUS41 KPCI 030845
WA1T
BOST WA 030845
AIRMET TANGO UPDT 1 FOR TURB VALID UNTIL 031500

.
AIRMET TURB...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
FROM 50N PQI TO 30ENE PQI TO 40ESE HUL TO 200SE ACK TO 160SE SIE
TO 20NE ECG TO HNV TO HNN TO CVG TO FWA TO DXO TO 30SE YOW TO
YSC TO 70NW PQI TO 50N PQI
MOD TURB BTN 160 AND FL390. CONDS CONTG BYD 15Z THRU 21Z.

.
OTLK VALID 1500-2100Z...TURB NJ WV MD DE VA NC SC GA AND CSTL
WTRS
BOUNDED BY 120ESE SIE-160E ECG-30WNW ATL-GQO-HMV-50WSW BKW-30SSE
CSN-120ESE SIE
MOD TURB BTN FL230 AND FL410. CONDS DVLPG AFT 15Z. CONDS CONTG
THRU 21Z.

....

WAUS41 KPCI 031445
WA1S

BOSS WA 031445

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 032100

.
AIRMET IFR...NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA AND
CSTL WTRS
FROM 30ESE YYZ TO 40SE SYR TO 20NNE BOS TO 40SSW ACK TO 150SE
SIE TO 110E ECG TO 20NE ECG TO HMV TO HNN TO CVG TO FWA TO DXO
TO 30WNW CLE TO 30WSW BUF TO 30ESE YYZ
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

.
AIRMET MTN OBSCN...ME NH VT MA NY PA WV MD VA
FROM 70NW PQI TO MLT TO CON TO 20NNW SAX TO HAR TO 20NNW CSN TO
HNN TO JHW TO 20NNE SYR TO 20NNE ALB TO 40ENE MSS TO 40E YSC TO
70NW PQI
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

.
AIRMET MTN OBSCN...WV VA NC SC GA
FROM 20NNW CSN TO 30N GSO TO CLT TO 30SE ODF TO ATL TO GQO TO
HMV TO HNN TO 20NNW CSN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

.
OTLK VALID 2100-0300Z
AREA 1...IFR OH LE
BOUNDED BY 20ENE DXO-50SW APE-CVG-FWA-20ENE DXO
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS DVLPG AFT 21Z. CONDS
CONTG THRU 03Z.

.
AREA 2...IFR ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
BOUNDED BY 60E MSS-50SSW BGR-40SSE ACK-150SE SIE-100E ECG-30N
GSO-40N HMV-AIR-30NW CLE-20W BUF-50E YYZ-60E MSS
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 03Z.
.....

WAUS41 KKCI 031445

WA1Z

BOSZ WA 031445

AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 032100

.
AIRMET ICE...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
FROM 50WSW YSC TO 20ENE ENE TO 20N CYN TO 40WNW RIC TO 50SW BKW
TO HNN TO 20ENE CVG TO FWA TO 20SW DXO TO 20SW BUF TO 30ESE YYZ
TO 50WSW YSC
MOD ICE BTN FRZLVL AND FL180. FRZLVL SFC-040. CONDS CONTG BYD 21Z
THRU 03Z.

.
AIRMET ICE...ME NH MA RI CT NY NJ PA WV MD DC DE VA NC AND CSTL
WTRS
FROM 20ENE ENE TO 150ENE ACK TO 200SE ACK TO 160SE SIE TO 190ESE
ECG TO 140SE ILM TO 40WNW RIC TO 20N CYN TO 20ENE ENE
MOD ICE BTN FRZLVL AND FL220. FRZLVL 030-120. CONDS CONTG BYD 21Z
THRU 03Z.

.
OTLK VALID 2100-0300Z...ICE ME NH VT MA RI CT NY LO NJ PA OH LE
WV MD DC DE VA AND CSTL WTRS
BOUNDED BY 40E YSC-170ENE ACK-140E ACK-60SSE SIE-20N BKW-30NE

Document: 6650 | Created: 14:40 01/03/2021 UTC | Page: 04

Description: AIRMET | Northeast US AIRMETs

|Alpha Numeric

|NORTHEASTERN

FWA-20ESE DXO-30ESE YYZ-50NNW SYR-30ESE YOW-40E YSC

MOD ICE BTN FRZLVL AND FL180. FRZLVL SFC-040. CONDS CONTG THRU
03Z.

.

FRZLVL...RANGING FROM SFC-110 ACRS AREA

MULT FRZLVL 020-110 BOUNDED BY 20SSE BKW-20SW LYH-20SSW RDU-
20NNE FLO-20ESE CAE-40SW MCN-40WNW PZD-GQO-HMV-60NNW HMV-
20SSE BKW

MULT FRZLVL BLW 110 BOUNDED BY 50S YOW-30NW ALB-20N BOS-110SE
BGR-200SE ACK-30ESE SIE-50E EMI-20SW CSN-30ESE EKN-30E YYZ-
50S YOW

SFC ALG 20NNE YYZ-30NE BUF-50E SLT-50ESE HNK-80S BGR-90SSW YSJ
040 ALG HMV-20WNW EMI-20NNW CYN-150ESE ACK
080 ALG 40NNE RDU-110S HTO-180SE ACK

.....