

WAUS41 KPCI 100245

WA1S

BOSS WA 100245

AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 100900

.
AIRMET IFR...OH WV MD VA NC SC GA FL AND CSTL WTRS
FROM 30SSE FNT TO 30SE ROD TO 30NNW HNN TO 40NE EKN TO 40SW CSN
TO 20ESE CLT TO 40E CHS TO 50ENE CRG TO 50NE TRV TO 20WNW TRV TO
50WSW PZD TO GQO TO HNV TO HNN TO CVG TO FWA TO 30SSE FNT
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET MTN OBSCN...NY PA WV MD VA
FROM SYR TO 20NNW HNK TO 40NNW CSN TO 20SW AIR TO JHW TO SYR
MTNS OBSC BY CLDS. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET MTN OBSCN...PA WV MD VA NC SC GA
FROM 20WSW AIR TO 40WSW EMI TO 30N GSO TO CLT TO ATL TO GQO TO
HNV TO HNN TO 20WSW AIR
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

....
WAUS41 KPCI 100245

WA1Z

BOSZ WA 100245

AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 100900

.
AIRMET ICE...NY LO PA OH LE WV MD DC VA
FROM 40E BUF TO EMI TO 50SSE LYH TO 30S PSK TO HNV TO HNN TO CVG
TO FWA TO DXO TO 40E BUF
MOD ICE BLW FL180. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET ICE...ME NH VT MA RI CT NY LO NJ PA OH LE WV MD DC DE VA
AND CSTL WTRS
FROM 40E YQB TO 30SSE PQI TO 50SE HUL TO 200SE ACK TO 180SE SIE
TO 50SW ROD TO FWA TO 30SE ECK TO YOW TO 70NNE MPV TO 40E YQB
MOD ICE BTN FRZLVL AND 140. FRZLVL SFC-060. CONDS CONTG BYD 09Z
THRU 15Z.

.
OTLK VALID 0900-1500Z...ICE OH LE WV
BOUNDED BY 20NE ERI-HNN-CVG-FWA-DXO-20NE ERI
MOD ICE BLW 080. CONDS CONTG THRU 15Z.

.
FRZLVL...RANGING FROM SFC-095 ACRS AREA
MULT FRZLVL BLW 090 BOUNDED BY YYZ-20SSW CON-30N ACK-180SSE
ACK-160SE SIE-190ESE ECG-160SE ECG-40SSW RIC-30N GSO-HNN-
CVG-FWA-DXO-20NW BUF-YYZ
SFC ALG 20WNW ERI-JST-30SSW HAR-40SSW ETX-80SSW YSJ
040 ALG 30S FWA-AIR-CSN-160ESE ACK
080 ALG 50S HNN-20S PSK-30NNE GSO

....
WAUS41 KPCI 100245

WA1T

BOST WA 100245

AIRMET TANGO FOR TURB AND STG SFC WNDS VALID UNTIL 100900

.
AIRMET TURB...MA RI CT NY LO NJ PA OH LE WV MD DC DE VA NC AND

CSTL WTRS

FROM 30NE YYZ TO 20SE HTO TO 160S ACK TO 160SE SIE TO 190ESE ECG
TO 170SE ECG TO 30ENE RDU TO 30NE PSK TO 50WNW HNN TO 40S FWA TO
FWA TO DXO TO 30NW JHW TO 30NE YYZ
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET TURB...PA OH LE WV MD DC VA NC AND CSTL WTRS
FROM 20NNW ERI TO PSB TO 30NNW SBY TO 30ENE ORF TO 40SW ECG TO
20NE RDU TO 20NNW GSO TO 40SSW BKW TO 40SSW HNN TO 20S ROD TO
40SSE FWA TO FWA TO DXO TO 30NW CLE TO 20NNW ERI
MOD TURB BLW FL180. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET STG SFC WINDS...ME NH MA RI NY AND CSTL WTRS
FROM 60SW YSJ TO 200SE ACK TO 180SSE ACK TO 200SSE HTO TO 20WSW
ACK TO 60SSW BGR TO 60SW YSJ
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG BYD 09Z
THRU 15Z.

.
OTLK VALID 0900-1500Z
AREA 1...TURB MA RI CT NY LO NJ PA OH LE WV MD DC DE VA NC AND
CSTL WTRS
BOUNDED BY 80NW SYR-170S ACK-160SE SIE-190ESE ECG-170SE ECG-
120SE ECG-40S ECG-50SW EKN-40SSE FWA-FWA-20E DXO-40N ERI-20ENE
YYZ-80NW SYR
MOD TURB BTN FL180 AND FL400. CONDS CONTG THRU 15Z.

.
AREA 2...TURB OH WV
BOUNDED BY 40SSE FWA-20E HNN-CVG-40SSE FWA
MOD TURB BTN FL240 AND FL370. CONDS DVLPG 09-12Z. CONDS CONTG
THRU 15Z.

.
AREA 3...TURB RI NY NJ PA OH LE WV MD DC DE VA NC AND CSTL WTRS
BOUNDED BY BUF-210SSE HTO-160SE SIE-190ESE ECG-150ESE ILM-40S
LYH-50SSW AIR-40E FWA-50NNE FWA-20SE DXO-20NNW CLE-BUF
MOD TURB BLW FL180. CONDS CONTG THRU 15Z.

.....