

WAUS42 KPCI 030845

WA2Z

MIAZ WA 030845

AIRMET ZULU UPDT 1 FOR ICE AND FRZLVL VALID UNTIL 031500

.

AIRMET ICE...NC SC MA RI NY NJ PA WV MD DC DE VA AND CSTL WTRS
FROM 50SSW ACK TO 180SSE ACK TO 160SE SIE TO 190ESE ECG TO 140SSE
ILM TO 80ESE CHS TO 20ENE CHS TO PSK TO 50W CSN TO EMI TO 20S JFK
TO 50SSW ACK

MOD ICE BTN FRZLVL AND FL240. FRZLVL 050-120. CONDS CONTG BYD 15Z
THRU 21Z.

.

OTLK VALID 1500-2100Z...ICE NC ME NH VT MA RI CT NY NJ PA WV MD
DC DE VA AND CSTL WTRS

BOUNDED BY 20N ENE-160ENE ACK-200SE ACK-160SE SIE-190ESE
ECG-140SSE ILM-60SSW CSN-20N ENE

MOD ICE BTN FRZLVL AND FL220. FRZLVL 030-120. CONDS CONTG THRU
21Z.

.

FRZLVL...RANGING FROM 020-165 ACRS AREA

MULT FRZLVL 020-110 BOUNDED BY HNV-20NW SPA-50SSE ODF-40NW
PZD-GQO-HMV

040 ALG 30W ATL-20ESE VXV

080 ALG 40WNW PZD-20WSW MCN-30SW SPA-20N GSO

120 ALG 60SE SJI-40SE PZD-40ESE CAE-130ESE ECG-180E ECG

160 ALG 80WSW EYW-40NE EYW-30SE MIA-100ESE MIA

.....

WAUS42 KPCI 030845

WA2S

MIAS WA 030845

AIRMET SIERRA UPDT 1 FOR IFR AND MTN OBSCN VALID UNTIL 031500

.

AIRMET IFR...NC SC GA FL AND CSTL WTRS
FROM 150SE SIE TO 120ESE ECG TO 20ESE CRG TO 40SE OMN TO 40SSW
RSW TO 120SW SRQ TO 110W PIE TO 190S CEW TO 30WSW TLH TO 20WSW
CEW TO 40ESE MCN TO 40SSW VXV TO HNV TO 20NE ECG TO 150SE SIE
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.

AIRMET MTN OBSCN...NC SC GA WV VA
FROM 20WNW CSN TO 30N GSO TO 20ESE CLT TO ATL TO GQO TO HNV TO
HNN TO 20WNW CSN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.

OTLK VALID 1500-2100Z...IFR NC MA RI CT NY NJ PA OH WV MD DC DE
VA AND CSTL WTRS

BOUNDED BY 30WSW BOS-90SSE HTO-140E ECG-80E ECG-30NNE GSO-HNV-
HNN-30WSW BOS

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

.....

WAUS42 KPCI 030845

WA2S

MIAS WA 030845

AIRMET SIERRA UPDT 1 FOR IFR AND MTN OBSCN VALID UNTIL 031500

.

AIRMET IFR...NC SC GA FL AND CSTL WTRS

FROM 150SE SIE TO 120ESE ECG TO 20ESE CRG TO 40SE OMN TO 40SSW
RSW TO 120SW SRQ TO 110W PIE TO 190S CEW TO 30WSW TLH TO 20WSW
CEW TO 40ESE MCN TO 40SSW VXV TO HNV TO 20NE ECG TO 150SE SIE
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
AIRMET MTN OBSCN...NC SC GA WV VA
FROM 20WNW CSN TO 30N GSO TO 20ESE CLT TO ATL TO GQO TO HNV TO
HNN TO 20WNW CSN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
OTLK VALID 1500-2100Z...IFR NC MA RI CT NY NJ PA OH WV MD DC DE
VA AND CSTL WTRS
BOUNDED BY 30WSW BOS-90SSE HTO-140E ECG-80E ECG-30NNE GSO-HNV-
HNN-30WSW BOS
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

....

WAUS42 KNCI 030845
WA2T
MIAT WA 030845
AIRMET TANGO UPDT 1 FOR TURB STG WINDS AND LLWS VALID UNTIL 031500

.
AIRMET TURB...NC SC GA AND CSTL WTRS
FROM 160SE SIE TO 100ESE ECG TO 70ENE ILM TO 20N FLO TO 30E ODF
TO 20ENE GQO TO HNV TO 20NE ECG TO 160SE SIE
MOD TURB BTN 160 AND FL390. CONDS ENDG BY 15Z.

.
AIRMET TURB...NC SC AND CSTL WTRS
FROM 50S SBY TO 80SSE ECG TO 30SE CHS TO 20ENE SAV TO 50SSE GSO
TO 50SW RIC TO 50S SBY
MOD TURB BLW 100. CONDS CONTG BYD 15Z ENDG 15-18Z.

.
AIRMET TURB...NC SC GA AND CSTL WTRS
FROM 50SSE GSO TO 20ENE SAV TO 30NNE CRG TO 40S MCN TO 40NW PZD
TO 60SSW GQO TO 20N ODF TO 30NNW IRQ TO 50SSE GSO
MOD TURB BLW 050. CONDS CONTG BYD 15Z THRU 21Z.

.
AIRMET STG SFC WINDS...NC AND CSTL WTRS
FROM 80SSE ECG TO 160ESE ILM TO 140SE ILM TO 70SE ILM TO 70ENE
ILM TO 80SSE ECG
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS DVLPG 12-15Z.
CONDS CONTG BYD 15Z ENDG 15-18Z.

.
LLWS POTENTIAL...NC SC
BOUNDED BY 40NNE RDU-60SW ECG-ILM-50SSE FLO-40SSW RDU-40NNE RDU
LLWS EXP. CONDS ENDG 09-12Z.

.
OTLK VALID 1500-2100Z...TURB NC SC GA NJ WV MD DE VA AND CSTL
WTRS
BOUNDED BY 120ESE SIE-160E ECG-30WNW ATL-GQO-HNV-50WSW BKW-30SSE
CSN-120ESE SIE
MOD TURB BTN FL230 AND FL410. CONDS DVLPG AFT 15Z. CONDS CONTG
THRU 21Z.

....

WAUS42 KNCI 031210 AAA
WA2S

MIAS WA 031210 AMD

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 031500

.
AIRMET IFR...NC SC GA FL AND CSTL WTRS...UPDT
FROM HMV TO 120E ECG TO 130ESE ECG TO 20NE CRG TO 40SE OMN TO
40SSW RSW TO 100WSW RSW TO 90WSW PIE TO 190S CEW TO 130SSW TLH
TO 20NW CEW TO 50SW PZD TO 40ESE MCN TO 40S VXV TO HMV
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
AIRMET MTN OBSCN...NC SC GA WV VA
FROM 20WNW CSN TO 30N GSO TO 20ESE CLT TO ATL TO GQO TO HMV TO
HNN TO 20WNW CSN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 15Z THRU 21Z.

.
OTLK VALID 1500-2100Z...IFR NC MA RI CT NY NJ PA OH WV MD DC DE
VA AND CSTL WTRS
BOUNDED BY 30WSW BOS-90SSE HTO-140E ECG-80E ECG-30NNE GSO-HMV-
HNN-30WSW BOS
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 21Z.

....

WAUS42 KPCI 031445

WA2Z

MIAZ WA 031445

AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 032100

.
AIRMET ICE...NC ME NH MA RI CT NY NJ PA WV MD DC DE VA AND CSTL
WTRS
FROM 20ENE ENE TO 150ENE ACK TO 200SE ACK TO 160SE SIE TO 190ESE
ECG TO 140SE ILM TO 40WNW RIC TO 20N CYN TO 20ENE ENE
MOD ICE BTN FRZLVL AND FL220. FRZLVL 030-120. CONDS CONTG BYD 21Z
THRU 03Z.

.
FRZLVL...RANGING FROM 020-165 ACRS AREA
MULT FRZLVL 020-110 BOUNDED BY 20SSE BKW-20SW LYH-20SSW RDU-
20NNE FLO-20ESE CAE-40SW MCN-40WNW PZD-GQO-HMV-60NNW HMV-
20SSE BKW
040 ALG 30W ATL-30SE VXV-HMV
080 ALG 40NW PZD-MCN-30WNW IRQ-CLT-40NNE RDU
120 ALG 40ESE SJI-50ESE CEW-30NE TLH-CHS-130SE ECG-190ESE ECG
160 ALG 30S EYW-100ESE MIA

....

WAUS42 KPCI 031445

WA2S

MIAS WA 031445

AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 032100

.
AIRMET IFR...NC SC AND CSTL WTRS
FROM 20NE ECG TO 110E ECG TO 110SE ECG TO 30SSW ILM TO 30NE FLO
TO 40WNW SPA TO HMV TO 20NE ECG
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 18-21Z.

.
AIRMET IFR...FL AND CSTL WTRS
FROM 30WNW ORL TO 50E SRQ TO 50SSW SRQ TO 30WNW PIE TO 30WNW ORL
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 15-18Z.

.

Document: 6651 | Created: 14:40 01/03/2021 UTC | Page: 04

Description: AIRMET | Southeast US AIRMETs | Alpha Numeric | SOUTHEASTERN

AIRMET MTN OBSCN...NC SC GA WV VA

FROM 20NNW CSN TO 30N GSO TO CLT TO 30SE ODF TO ATL TO GQO TO
HNV TO HNN TO 20NNW CSN

MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

....