

WAUS43 KKCI 092045

WA3S

CHIS WA 092045

AIRMET SIERRA UPDT 7 FOR IFR AND MTN OBSCN VALID UNTIL 100300

.  
AIRMET IFR...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY OK AR  
TN LA MS AL

FROM 40NW INL TO 30W EAU TO 70SSW RHI TO 40SW TVC TO 20W DXO TO  
30E CVG TO HNN TO HMV TO GQO TO 50S LGC TO 60SE MLU TO 40S MEM  
TO 20WNW PXV TO 20S OBH TO 60ENE DPR TO 50NE MOT TO 40NW INL  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET IFR...MN WI LM LS MI

FROM 20E YQT TO 20NNW SSM TO 30WSW GRB TO 40ESE EAU TO 50NNW RHI  
TO 60ESE INL TO 20E YQT  
CIG BLW 010/VIS BLW 3SM BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET MTN OBSCN...KY TN

FROM HNN TO HMV TO GQO TO 40WSW LOZ TO HNN  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
OTLK VALID 0300-0900Z

AREA 1...IFR ND SD NE KS MN IA MO WI LM LS MI IL IN KY OK AR TN  
LA MS AL

BOUNDED BY 50NW INL-20NNW SSM-30SE GRB-DXO-FWA-CVG-HNN-HMV-GQO-  
20NE LGC-30SW MHZ-30E MEM-50ESE STL-30W MCI-60SSE OBH-30ENE DPR-  
60NE MOT-50NW INL  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 09Z.

.  
AREA 2...IFR KS MO OK TX AR TN LA MS

BOUNDED BY 40SE MCI-50SSW COU-60E SGF-70ESE RZC-30NE LIT-30E MEM-  
30SW MHZ-20WNW GGG-30SSW ABI-70WNW DLF-50SSE MRF-80WSW INK-INK-  
20NNW TXO-40S SLN-40SE MCI  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG THRU 09Z.

.....

WAUS43 KKCI 092045

WA3T

CHIT WA 092045

AIRMET TANGO UPDT 3 FOR TURB AND LLWS VALID UNTIL 100300

.  
AIRMET TURB...MN IA MO WI LM MI LH IL IN KY

FROM 50NNW RHI TO 60WSW SSM TO 60NW YVV TO YVV TO 30SE ECK TO  
FWA TO CVG TO HNN TO 60WSW BKW TO 40SE CVG TO 30NNE AXC TO 20NNE  
IRK TO 50WSW FOD TO 20SW RWF TO 40ESE BRD TO 50NNW RHI  
MOD TURB BTN FL200 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET TURB...ND SD NE KS

FROM 60NNE ISN TO 50NE MOT TO 70NE BIS TO 20NNW ONL TO 40ESE MCK  
TO 50W LBL TO GLD TO BFF TO 70SW RAP TO 60NNE ISN  
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET TURB...KY TN AL

FROM 50SW BKW TO HMV TO GQO TO 40S GQO TO 40W GQO TO 20NE BNA TO  
20WNW LOZ TO 50SW BKW  
MOD TURB BLW FL180. CONDS ENDG BY 03Z.

.

AIRMET TURB...IA WI LM MI IL IN KY  
FROM 30SW MKG TO 30ENE DXO TO FWA TO CVG TO HNN TO 70SSW HNN TO  
40SSE CVG TO 20W IND TO 20SSW BDF TO DBQ TO 30SW MKG  
MOD TURB BLW FL180. CONDS CONTG BYD 03Z ENDG BY 09Z.

.  
LLWS POTENTIAL...SD NE  
BOUNDED BY 50WNW RAP-40E RAP-20ENE SNY-BFF-70SW RAP-50WNW RAP  
LLWS EXP. CONDS DVLPG AFT 00Z. CONDS CONTG BYD 03Z THRU 09Z.

.  
LLWS POTENTIAL...KS OK TX  
BOUNDED BY HLC-60WNW ICT-60SSE MMB-40SE AMA-40SE LBB-50NW MAF-  
30ESE TBE-50W LBL-40S GLD-HLC  
LLWS EXP. CONDS DVLPG 21-00Z. CONDS CONTG BYD 03Z ENDG 06-09Z.

....

WAUS43 KPCI 092045  
WA3Z  
CHIZ WA 092045  
AIRMET ZULU UPDT 4 FOR ICE AND FRZLVL VALID UNTIL 100300

.  
AIRMET ICE...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY  
FROM 60NE MOT TO 50WNW INL TO YQT TO 40NW YVV TO 30SE ECK TO 40SW  
FWA TO 20N AXC TO 50SE COU TO 40E MCI TO 40SSW SLN TO 50SW HLC TO  
20E AKO TO 60W RAP TO 30SW DIK TO 60NE MOT  
MOD ICE BLW FL180. CONDS CONTG BYD 03Z THRU 09Z.

.  
OTLK VALID 0300-0900Z...ICE KS MO OK TX AR  
BOUNDED BY 20WNW MCI-20NE COU-30E ARG-40WNW LIT-30SSE FSM-30SSE  
MLC-20E ADM-40NE MAF-60W MRF-ELP-INK-40SSW TXO-30SE AMA-40SSE  
MMB-40S ICT-60ENE ICT-20WNW MCI  
MOD ICE BTN FRZLVL AND FL240. FRZLVL 040-120. CONDS CONTG THRU  
09Z.

.  
FRZLVL...RANGING FROM SFC-120 ACRS AREA  
MULT FRZLVL BLW 110 BOUNDED BY 60W DPR-60ESE FSD-30NW DBQ-  
60SW BAE-ORD-50ESE IND-60S IND-40S TTH-50W PXV-20SW FAM-  
30NW OSW-50SE SLN-20NW SLN-50SW OBH-50S DPR-60W DPR  
MULT FRZLVL BLW 060 BOUNDED BY 80SW YWG-30NW DBQ-60ESE FSD-  
30SW DPR-70W DPR-80SE MLS-50NNW ISN-50NW MOT-80SW YWG  
MULT FRZLVL 020-090 BOUNDED BY 60SSW YVV-30SE ECK-FWA-40WSW  
ROD-30E BVT-40SW GIJ-20SSE MKG-30ESE GRR-40S ASP-60SSW YVV  
SFC ALG 40S GLD-60SE OVR-30ESE GRB-20ESE TVC-30ESE ASP-60SSW  
YVV  
040 ALG 30NNW GLD-40NE SLN-50ESE UIN-20S FWA  
080 ALG 40ESE LAA-40SSW STL-50E CVG-20S HNN  
120 ALG 40WNW ARG-40NE DYR-50ENE DYR

....

WAUS43 KPCI 092045  
WA3Z  
CHIZ WA 092045  
AIRMET ZULU UPDT 5 FOR ICE AND FRZLVL VALID UNTIL 100300

.  
AIRMET ICE...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY  
FROM 60NE MOT TO 50WNW INL TO YQT TO 40NW YVV TO 30SE ECK TO 40SW  
FWA TO 40SSE BDF TO 60S DSM TO 50W OVR TO 40NNW ANW TO 20S DIK TO  
60NE MOT

MOD ICE BLW FL180. CONDS CONTG BYD 03Z THRU 09Z.

.  
OTLK VALID 0300-0900Z...ICE KS MO OK TX AR  
BOUNDED BY 20WNW MCI-20NE COU-30E ARG-40WNW LIT-30SSE FSM-30SSE  
MLC-20E ADM-40NE MAF-60W MRF-ELP-INK-40SSW TXO-30SE AMA-40SSE  
MMB-40S ICT-60ENE ICT-20WNW MCI  
MOD ICE BTN FRZLVL AND FL240. FRZLVL 040-120. CONDS CONTG THRU  
09Z.

.  
FRZLVL...RANGING FROM SFC-120 ACRS AREA  
MULT FRZLVL BLW 110 BOUNDED BY 60W DPR-60ESE FSD-30NW DBQ-  
60SW BAE-ORD-50ESE IND-60S IND-40S TTH-50W PXV-20SW FAM-  
30NW OSW-50SE SLN-20NW SLN-50SW OBH-50S DPR-60W DPR  
MULT FRZLVL BLW 060 BOUNDED BY 80SW YWG-30NW DBQ-60ESE FSD-  
30SW DPR-70W DPR-80SE MLS-50NNW ISN-50NW MOT-80SW YWG  
MULT FRZLVL 020-090 BOUNDED BY 60SSW YVV-30SE ECK-FWA-40WSW  
ROD-30E BVT-40SW GIJ-20SSE MKG-30ESE GRR-40S ASP-60SSW YVV  
SFC ALG 40S GLD-60SE OVR-30ESE GRB-20ESE TVC-30ESE ASP-60SSW  
YVV  
040 ALG 30NNW GLD-40NE SLN-50ESE UIN-20S FWA  
080 ALG 40ESE LAA-40SSW STL-50E CVG-20S HNN  
120 ALG 40WNW ARG-40NE DYR-50ENE DYR

.....  
WAUS43 KPCI 100245  
WA3S  
CHIS WA 100245  
AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 100900

.  
AIRMET IFR...ND SD NE KS MN IA MO WI LM LS MI IL IN KY  
FROM 50N MOT TO 30NNE INL TO 30ENE SAW TO 40ENE GRB TO 20SSW MBS  
TO 30SSE FNT TO FWA TO CVG TO HNN TO HMV TO RZC TO OSW TO 20NNE  
MMB TO 70E GCK TO 50SSW MOT TO 50N MOT  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET MTN OBSCN...KY TN  
FROM HNN TO HMV TO GQO TO 50WSW LOZ TO HNN  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.....  
WAUS43 KPCI 100245  
WA3Z  
CHIZ WA 100245  
AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 100900

.  
AIRMET ICE...KS MO IL KY OK TX AR TN MS  
FROM MCI TO COU TO BNA TO MEM TO 40NW GGG TO 70SW SJT TO 90S MRF  
TO 20W ELP TO INK TO 20ESE TCC TO 40SSE LBL TO ICT TO MCI  
MOD ICE BTN FRZLVL AND FL240. FRZLVL 070-130. CONDS CONTG BYD 09Z  
THRU 15Z.

.  
AIRMET ICE...ND SD NE KS MN IA MO WI LM LS MI LH IL IN KY  
FROM 90ESE YWG TO YQT TO YVV TO 20NE DXO TO FWA TO CVG TO HNN TO  
HMV TO 70S PXV TO COU TO MCI TO ICT TO 60NNE ISN TO 90ESE YWG  
MOD ICE BLW 080. CONDS CONTG BYD 09Z THRU 15Z.

.  
FRZLVL...RANGING FROM SFC-120 ACRS AREA

MULT FRZLVL BLW 100 BOUNDED BY 50N MOT-BIS-FAR-20ENE ODI-GRB-  
40SSW YVV-DXO-FWA-CVG-70SW HNN-20SSW FAM-ICT-40NE TCC-  
30ESE TBE-50W LBL-GLD-70SW RAP-50NNW ISN-50N MOT  
SFC ALG 20WNW LBL-40WSW PWE-50W FOD-DLL-60WSW TVC-30SE ECK  
040 ALG 60ESE HLC-60WSW COU-30ESE COU-AXC-30S FWA  
080 ALG 50NNE MMB-ICT-SGF-40NNW IIU-40ESE CVG-50S HNN

.....

WAUS43 KPCI 100245  
WA3T  
CHIT WA 100245  
AIRMET TANGO FOR TURB AND LLWS VALID UNTIL 100900

.  
AIRMET TURB...WI LM LS MI LH IL IN  
FROM 80SE YQT TO 50SSE SSM TO 50WNW YVV TO 30ESE ECK TO FWA TO  
40S FWA TO 20W JOT TO 20ESE DLL TO 50NW RHI TO 80SE YQT  
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET TURB...ND SD NE KS OK TX  
FROM 60NNW MOT TO 60NE MOT TO 70ENE BIS TO 40NE ONL TO 60S OBH  
TO 30SE GCK TO 30E TCC TO 30ESE TBE TO 50W LBL TO GLD TO BFF TO  
70SW RAP TO 50NNW ISN TO 60NNW MOT  
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 09Z ENDG 12-15Z.

.  
AIRMET TURB...LM MI IN  
FROM 20SSW MBS TO 30SSE ECK TO FWA TO 40SSE FWA TO 40SE ORD TO  
20SW MKG TO 20SSW MBS  
MOD TURB BLW FL180.

.  
LLWS POTENTIAL...KS OK TX  
BOUNDED BY HLC-50WNW SLN-30WNW ICT-30E MMB-50ENE TCC-30ESE TBE-  
50W LBL-40S GLD-HLC  
LLWS EXP. CONDS ENDG 06-09Z.

.  
LLWS POTENTIAL...SD NE KS MN IA  
BOUNDED BY 30S ABR-40E FSD-40W OVR-60ENE HLC-30NW GLD-BFF-70SW  
RAP-50W RAP-50SW PIR-30S ABR  
LLWS EXP. CONDS CONTG BYD 09Z THRU 15Z.

.  
OTLK VALID 0900-1500Z  
AREA 1...TURB NE KS MN IA MO WI LM MI IL IN KY OK TX AR TN  
BOUNDED BY 20W GRB-50SE GRB-50SW DXO-FWA-CVG-HNN-40E MEM-50SE  
RZC-30NE MLC-40NE TCC-40SSW LAA-20ENE MCW-20W GRB  
MOD TURB BTN FL240 AND FL370. CONDS DVLPG 09-12Z. CONDS CONTG  
THRU 15Z.

.  
AREA 2...TURB ND SD NE KS IA  
BOUNDED BY 70NW MOT-40N MOT-30N ONL-50N OVR-40ENE LAA-GLD-BFF-  
70SW RAP-50NNW ISN-70NW MOT  
MOD TURB BTN FL180 AND FL400. CONDS ENDG 12-15Z.

.  
AREA 3...TURB MI  
BOUNDED BY 20SSW MBS-30SSE ECK-20ESE DXO-50NNE FWA-20SSW MBS  
MOD TURB BTN 120 AND FL180. CONDS DVLPG AFT 15Z. CONDS ENDG BY  
15Z.

.....

Document: 6652 | Created: 02:45 12/10/2022 UTC | Page: 05

Description: AIRMET | Northcent US AIRMETS | Alpha Numeric | NORTHCENTRA

---